


1-3-2019

2012 - Salinas Valley Hydrologic Subareas, 4th Quarter Water Conditions

Follow this and additional works at: https://digitalcommons.csumb.edu/hornbeck_cgb_6_a

 Part of the [Agricultural and Resource Economics Commons](#), [Business Commons](#), [Education Commons](#), [Engineering Commons](#), [Life Sciences Commons](#), and the [Physical Sciences and Mathematics Commons](#)

Recommended Citation


"2012 - Salinas Valley Hydrologic Subareas, 4th Quarter Water Conditions" (2019). *Monterey County Water Resources Agency Water Reports*. 38.

https://digitalcommons.csumb.edu/hornbeck_cgb_6_a/38

This Report is brought to you for free and open access by the Monterey County Water Resources Agency at Digital Commons @ CSUMB. It has been accepted for inclusion in Monterey County Water Resources Agency Water Reports by an authorized administrator of Digital Commons @ CSUMB. For more information, please contact digitalcommons@csumb.edu.

SALINAS VALLEY HYDROLOGIC SUBAREAS

Fourth Quarter of Water Year 2011-2012



**MONTEREY COUNTY WATER RESOURCES AGENCY
BOARD OF DIRECTORS**

MEETING DATE:	October 22, 2012	AGENDA ITEM:	
AGENDA TITLE:	RECEIVE REPORT ON SALINAS VALLEY WATER CONDITIONS FOR THE FOURTH QUARTER OF WATER YEAR 2011-2012		
Consent (X)		Action ()	
Information ()			
SUBMITTED BY:	Robert Johnson	PREPARED BY:	Peter Kwiek
PHONE:	755-4860	PHONE:	755-4860
DEADLINE FOR BOARD ACTION:	October 22, 2012		

RECOMMENDED BOARD ACTION:

Receive report on Salinas Valley water conditions for the fourth quarter of Water Year 2011-2012.

PRIOR RELEVANT BOARD ACTION:

A report was last presented to the Board on July 23, 2012, covering the third quarter of Water Year 2011-2012.

DISCUSSION/ANALYSIS:

This report covers the fourth quarter of Water Year 2011-2012 (WY12), July through September 2012. It provides a brief overview of water conditions in the Salinas Valley with discussion of precipitation, reservoir storage, and ground water level trends. Data for each of these components are included as graphs and tables in Attachments A through J.

Precipitation – The fourth quarter of WY12 saw no rainfall in either Salinas or King City. Normal cumulative total rainfall for the quarter for both Salinas and King City is 0.2 inches.

In Salinas, the lack of fourth quarter rainfall compares to 30-year monthly averages for July, August and September of 0.0, 0.03, and 0.17 inches, respectively.

In King City, the lack of fourth quarter rainfall compares to 30-year monthly averages for July, August and September of 0.01, 0.01, and 0.18, respectively.

Attachments A and B are graphs showing cumulative monthly precipitation data for both stations. For comparison, data for the current year is plotted alongside last year’s data, as well as 30-year monthly averages.

Rainfall data for Salinas and King City should be considered preliminary until verified by National Weather Service data at a later date.

Reservoirs - The following table compares fourth quarter storage at Nacimiento and San Antonio reservoirs for the past two years. Storage in Nacimiento Reservoir is 132,750 acre-feet lower than in September 2011, while storage in San Antonio Reservoir is 68,267 acre-feet lower.

Reservoir	September 30, 2012 (WY12) Storage in acre-feet	September 30, 2011 (WY11) Storage in acre-feet	Difference in acre-feet
Nacimiento	142,550	275,300	-132,750
San Antonio	179,493	247,760	-68,267

Graphs for each reservoir showing end-of-month storage for the last ten years are included as Attachments C and D.

Ground Water Levels – More than 80 wells are measured monthly throughout the Salinas Valley to monitor seasonal ground water level fluctuations. Data from approximately 50 of these wells is used in the preparation of this report. The measurements are categorized by hydrologic subarea, averaged, and graphed to compare current water levels with selected past conditions. Graphs for individual subareas, showing the current year’s water level conditions, last year’s conditions (WY11), dry conditions (WY91), and near-normal conditions (WY85), are found in Attachments E through I. Attachment J contains a summary of water level changes for all subareas.

Ground water level measurements indicate that water levels in the Pressure 180-Foot and Pressure 400-Foot Aquifers as well as the East Side Subarea began their seasonal recovery at the end of the fourth quarter of WY12. Compared to the previous month, average ground water levels increased by two feet in both the Pressure 180-Foot Aquifer and the East Side Subarea, while in the Pressure 400-Foot Aquifer water levels rose three feet over the prior month. In the Forebay Subarea, water levels declined by two feet over the previous month while water levels in the Upper Valley Subarea were unchanged.


Compared to September 2011, average ground water levels declined in the Pressure 180-Foot and Pressure 400-Foot Aquifers by two feet and one foot, respectively. Water levels also declined by four feet in the Forebay Subarea. In the East Side Subarea, water levels increased by two feet, compared to September 2011, while Upper Valley ground water levels saw no change.

When compared to WY85, which is considered to be a year of near normal ground water conditions, current water levels range from thirteen feet lower in the East Side Subarea to ten feet higher in the Pressure 400-Foot Aquifer. Water levels in the Pressure 180-Foot Aquifer were one foot lower than in WY85, while water levels in the Forebay and Upper Valley Subareas were higher by two feet and one foot, respectively.

Average ground water levels for the fourth quarter of WY12 remain above WY91 levels in all subareas.

SALINAS AIRPORT RAINFALL

Water Year 2011-12




*Preliminary Data

—□— Normal Water Year —■— Water Year 2010-11 —◆— Water Year 2011-12

ATTACHMENT A


KING CITY RAINFALL

Water Year 2011-12




NACIMIENTO RESERVOIR

END OF MONTH STORAGE



ATTACHMENT C

SAN ANTONIO RESERVOIR END OF MONTH STORAGE




ATTACHMENT D

HISTORIC GROUND WATER TRENDS

PRESSURE 180-FOOT AQUIFER

5 Wells




—□— 1985 WY
 —○— 1991 WY
 —■— 2011 WY
 —◆— 2012 WY

HISTORIC GROUND WATER TRENDS

PRESSURE 400-FOOT AQUIFER


11 Wells



HISTORIC GROUND WATER TRENDS

EAST SIDE SUBAREA


11 Wells



HISTORIC GROUND WATER TRENDS

FOREBAY SUBAREA


10 Wells



HISTORIC GROUND WATER TRENDS

UPPER VALLEY SUBAREA

9 Wells



Generalized Ground Water Trends

September 2012

Area	September 2012 Depth to Water	1 Year Change	Change From WY 1985	1 Month Change
Pressure 180-Foot Aquifer	52'	down 2'	down 1'	up 2'
Pressure 400-Foot Aquifer	46'	down 1'	up 10'	up 3'
East Side Subarea	144'	up 2'	down 13'	up 2'
Forebay Subarea	70'	down 4'	up 2'	down 2'
Upper Valley Subarea	47'	no change	up 1'	no change

September water levels, compared to last year, range from 4' lower to 2' higher.

September water levels, compared to WY 1985, range from 13' lower to 10' higher.

September changes in water levels over the last month range from 2' lower to 3' higher.